

Fig. 1




Fig. 2




Fig. 3





Fig. 4






Fig. 7B Stacked  
Cassette Clip

1. Decom Cassette clip.  
Holds multiple cassettes and  
feeds them to the processing  
breach.

In the Processing breach, a cassette is  
opened, if it has a chip that chip is  
read and the cassette housing is  
ejected to the recycle clip or the top of  
the main clip. The core material is sent  
to the activation process.

Fig. 7A

Rotary Cassette Clip




Fig. 7C

Activation chamber, either  
Water Electrolysis or  
Sodium Hydride/water  
chemical interaction

Storage cell to power  
unit. Recharged from  
last use of unit by unit.

Processing Manifold

Water, waste gas or  
unused materials drain  
for waste or recycle  
module

Recycle process  
module

Fuel Cell

Hydrogen Out

Antenna & Mem-  
Tel Card

Medium Size  
Decom Unit  
From Side

IR Reader  
for  
Handheld  
PC

Insert  
Cassette like  
video cassette

Handheld  
Computer

To Phone line

Fig. 7D




FIG. 8







FIG. 9



The value of water is closely related to the "bond angle" between the two hydrogen atoms in the water molecule. Our Ozonation of water results in a bond angle degree improvement.

FIG. 10

1020

Massively Catalyzed water




Fig. 12A

Electrophilic addition energy diagram





Fig. 12B




FIG. 13





FIG. 14






FIG. 15B

1520

Fuel Cassette version only has production number, compound formulation, date and source Id data in flat circuit embedded in housing of cassette

Cassette -1610-	
Decom -1612-	
Fuel Cell -1614-	
Recycle Module -1616-	Battery -1618-
Control System & Mem-Tel circuit -1620-	

Fig. 16A




Fig. 16C

